Pre-shipment Inspection (PSI)

BASIC INSPECTION INFORMATION		
Product:	Paw Patrol shower gel 3in1 400ml raspberry Skye 3D	
Brand:	Paw Patrol	
Inspection location:	XXXXXXXXXX	
Inspection date:	Nov.14th,2026	
Supplier:	XXXXXXXXXX	
Factory:	XXXXXXXXXX	
Inspector :	Ben	
Order quantity:	35360 PCS (2210 ctns)	
Qty ready for inspection (%):	35360 PCS (100% finished, and 100% packed), (See attached qty breakdown)	
Reference sample available:	No	

INSPECTION RESULT JUDGMENT					
OVERALL RESULT:Pending,see remark 1					
CRITERIA	**RESULTS**		**REMARKS**		
1. Quantity	**Pass**		**N/A**		
2. Product and packing check	**Pass**		**N/A**		
3. On-site tests & special requirements	**Pending**		**See remark 1**		
4. Workmanship AQL:	**Allowed quality level (AQL)**		CRI	MAJ	MIN
		Found	**0**	**0**	**8**
		Max	**0**	**21**	**21**
		Checked	**500**	**500**	**500**

REMARKS
1.The factory refused to do carton drop test during inspection due to the PDQ packing
2.During inspection, no customer's approval sample was provided for inspection reference, we could only refer the sample of last shipment.

INSPECTION STANDARDS	
Inspection type	Final Random Inspection (FRI)- 1st **inspection**
Sampling standard	ANSI/ASQ Z1.4-2008 (MIL-STD-105E)
Sampling Plan (Single)	G-II (normal inspection)
AQL for Critical/ Major/ Minor	0 /2.5/4.0
Sampling size for Cri/Maj/Min	500 /500 /500
No. of cartons selected and inspected	No carton number printed on outer carton

1. Quantity	**Result : Pass**
Approximate 80%of the total order quantity must be finished and packed	35360 pcs(100 %) units finished and 35360 pcs(100 %)packed into master carton

Item#	Oder required	Actual finished	Gift box packed	Master carton packed	S/S
Skye	35360	35360	35360	35360	500
Total	**35360**	**35360**	**35360**	**35360**	**500**

2.Product and packing check (photo)	**Result : Pass**



Item# Skye






Finished products in warehouse







Finished products in warehouse




	
Outer carton view	Outer carton view- front & back
	
Outer carton view- front & back	Outer carton view-sides
	
Outer carton view- front & back	Outer carton view-sides

	
Outer carton view- front & back	Outer carton view- front & back
	
Batch number on outer carton	Outer carton packing
	
Outer carton packing	Outer carton packing


	
Outer carton packing	PDQ view
	
PDQ view	PDQ view
	
Marking on PDQ	PDQ packing

	
PDQ packing	PDQ packing
	
Marking on PDQ	PDQ packing
	
Barcode on PDQ	Scanning test


	
Marking on PDQ	Marking on PDQ
	
PDQ packing	PDQ packing
	
PDQ packing	Product view




	
Product view	Product view
	
Product view	Marking on bottle surface
	
Marking on bottle surface	Marking on bottle surface



	
Marking on bottle surface	Scanning test
	
Marking on bottle surface	Marking on bottle surface
	
Marking on bottle surface	Product view

	
Product view	Product view
	
Bottle material	Batch number
	
Product view	3 in 1 sticker


	
3 in 1 sticker	Product and last shipment sample comparing
	
Product and last shipment sample comparing	Product and last shipment sample comparing
	
Product weight check	Product weight check


	
Outer carton size check	Outer carton size check
	
Outer carton size check	Outer carton size check
	
Outer carton size check	Outer carton size check

	
Outer carton gross weight check(Skye 3D)	Outer carton gross weight check(Skye 3D)
	
PDQ size check	PDQ size check
	
PDQ size check	PDQ size check

	
PDQ size check	PDQ size check
	
PDQ weight check(Skye 3D)	PDQ weight check(chase 3D)

3. ON-SITE TESTS & SPECIAL REQUIREMENTS	Result : Pending, see test requirement 6

Test Requirements	Comments from Inspector (Actual finding/photo)	Result
Universal test requirements		
1.Normal function check.(G-II: 500 pcs) (According to the instruction manual or specification to check each function of product, no any malfunction found)	 	Pass
2.Bar code scanning test (S-3: 32 pcs))		Pass

<table>
<tr><td>3. 3M tape adhesive test (S-3: 0 pcs)
(Use 3M tape to do this test)</td><td>N/A</td><td>N/A</td></tr>
<tr><td>4. Internal structure/Major Components check (1-3 pcs per item)</td><td>N/A</td><td>N/A</td></tr>
<tr><td>5. Carton dimension and weight check (3ctns per item)(The tolerance should be within +/- 5% of the carton size and weight which printed on master carton)</td><td>Actual carton size and weight measurement as below:
<table>
<tr><td>Item#</td><td>Printed on master carton</td><td>Actual measuring</td></tr>
<tr><td>Skye</td><td>Nil</td><td>44.5x34.5x20.2cm/8.985/8.97kgs</td></tr>
</table>



</td><td>Pass</td></tr>
<tr><td>6.Carton drop test (1 ctn per item)
(ISTA-1A, 1 corner, 3 edge and 6 face of master carton, height : 0 cm) , no master carton and product damaged.</td><td>The factory refused to do carton drop test during inspection due to the PDQ packing</td><td>Pending</td></tr>
<tr><td colspan="3">Special test requirements (Depend on different product)</td></tr>
</table>

7. Transportation test for outer carton (1-2 ctns per item)Use the factory's transportation test machine to do this test, and check if the product or package has any problem after test	 	Pass

8. Liquid leakage test (3 pcs per item) Turn down the bottles for 2 hours , and then check if the Liquid is leaking or not	 	Pass

9. Bottle and liquid volume check (3 pcs per item)Use the factory's volume test cup to check if the bottle volume is 400 ml, and then weight the liquid weight)	 	Pass

10. Liquid bubble effect check (3 pcs per item)Mixing the shampoo with water, and then check the bubble effect	 	Pass

11. Smell test (3 pcs per item) Compare the liquid sample or the samples of last shipment, and check scent of each item)	 	Pass

4. DEFECTIVES LIST

Defect description	CRI	MAJ	MIN	Defective Picture
Item# Skye				
Dirty mark - 污渍	0	0	3	

				 
Packaging damaged-包装破裂	0	0	3	

				 
Scratch mark - 刮伤	0	0	2	

Item# Skye				
Sample size	**Maximum Allowed**	**Total Defects**	**Result**	**Notes**
CRI : 500	0	**0**	Pass	**N/A**
MAJ :500	21	**0**	Pass	**N/A**
MIN :500	21	**8**	Pass	**N/A**

Remark: If no found the relevant AQL for the item reference , pls refer the AQL of most proximate sample size. for example, no AQL for sample size 150 pcs, pls refer the AQL of most proximate sample size of 125 pcs. If the AQL failed, the overall inspection result should be rejected, and pls make a remark like “Rejected due to AQL failed for item XXXX” on the fist page of report.

End of the Report